



Advanced Database Systems

Spring 2025

Lecture #05:


Buffer Management

R&G: Chapter 9.4

1

BUFFER MANAGEMENT


Transfer data between disk and memory



2


BUFFER MANAGEMENT

Buffer pool: in-memory cache of disk pages, partitioned into **frames**



Each frame can hold a page


Higher level code can
request (**pin**) a page
release (**unpin**) a page



3

BUFFER MANAGEMENT: PAGE REQUEST

Ensures requested page is in memory upon return




The illusion of operating only in memory

Higher levels need not to worry about
whether data is in memory or not

4

BUFFER MANAGEMENT: PAGE RELEASE

Higher levels need to explicitly “release” a page



5

OPEN QUESTIONS

What if the buffer pool has no space for a new page?

Use a **replacement policy** to decide which page to evict

What if a page gets modified? How will the buffer manager find out?

Dirty flag on page: Is page modified or not, set during release by higher levels

When evicting a dirty page, write it back to disk via disk space manager

How many users are concurrently using a page?

Pin counter per frame: # of concurrent users of the page


If **pin counter** = 0, the page is a candidate for replacement

6

BUFFER MANAGER STATE

Buffer pool

Large range of memory allocated at DBMS server boot time (MBs-GBs)



Buffer manager metadata:

Smallish array in memory allocated at DBMS server boot time

Page ID lookups need to be fast

Keep an in-memory index (hash table) on PageId

FrameId	PageId	Dirty?	Pin Count
1	1	N	0
2	2	Y	1
3	8	N	0
4	6	N	2
5	4	N	0
6	5	N	0

7

PROPER PIN/UNPIN NESTING

Database users (e.g., transactions) must properly “bracket” any page operation using **pin** and **unpin**

```
A read-only transaction
a = pin(pageno)
[
  : read data on page at memory address a
  :
  :
]
unpin(pageno, false)
```

Proper bracketing useful to keep a count of active users of a page

8

PIN IMPLEMENTATION

9

Function `pin(pageno)`

```
if buffer pool already contains pageno then
  f = find frame containing pageno
  f.pinCount = f.pinCount + 1
  return address of frame f
else
  f = select a free frame if buffer is not full or
    a victim frame using the replacement policy
  if f.isDirty then
    write frame f to disk
  read page pageno from disk into frame f
  f.pinCount = 1
  f.isDirty = false
  return address of frame f
```

Invariant:
`f.pinCount = 0`

9

UNPIN IMPLEMENTATION

10

Function `unpin(pageno, dirty)`

```
f = find frame containing pageno
f.pinCount = f.pinCount - 1
f.isDirty = f.isDirty || dirty
```

Why don't we check if *pageno* is in the buffer pool ?

Why don't we write back to disk during unpin?

10

ADVANCED QUESTIONS

11

Concurrent operations on a page

1. The same page *p* is requested by more than one transaction (i.e., pin counter of *p* > 1)
2. Those transactions perform **conflicting writes** on *p*

Solved by **Concurrency Control** module

... before the page is unpinned

Buffer manager may assume everything is in order whenever it gets an `unpin(p, true)` call

What if system crashes before write-back?

Solved by **Recovery** module

More about CC & Recovery later

11

BUFFER REPLACEMENT POLICIES

12

Page is chosen for replacement by a **replacement policy**:

Least Recently Used (LRU), Clock

Most Recently Used (MRU)

Others: Random, Toss-Immediate, FIFO, LRU-K

Policy can have big impact on #I/Os

Effectiveness depends on the **access patterns** in high-level code

No single policy handles all possible scenarios well

12

LEAST RECENTLY USED (LRU)

14

Very common policy: intuitive and simple

Track time each frame was last unpinned (end of use)

Replace the frame which was least recently used (lowest last used time)

Pinned frames are not available to replace

FrameId	PageId	Dirty?	Pin Count	Last Used
1	1	N	0	43
2	2	Y	1	21
3	8	N	0	22
4	6	N	2	11
5	4	N	0	24
6	5	N	0	15

Pinned frames

← Next-to-replace frame

14

LEAST RECENTLY USED (LRU)

15

Good for repeated accesses to popular pages (temporal locality)

Unpopular pages accessed a while ago are more likely to be replaced

Can be **costly**. Why?

Need to “find min” on the last used attribute

Naive: Scan table to find the unpinned frame with the lowest last used time (linear time)

Better: Use priority queues to keep frames in sorted order (log time)

Priority queues can still be expensive as page accesses are frequent

Approximate LRU: CLOCK policy

15

CLOCK REPLACEMENT POLICY

16

Each frame has a **reference bit**


Set **referenced** = 1 when **pin count** increases

N frames arranged in a circular buffer with a “clock hand”

Clock hand = next page to consider for eviction

```
while victim is not found:
    if frames[hand].pinCount == 0 then
        if frames[hand].referenced == 1 then
            frames[hand].referenced = 0
        else
            victim = address of frames[hand]
            hand = (hand + 1) mod N
```

Invoked when the pool is full and we need to evict a page




16

CLOCK POLICY STATE: EXPLICIT & ILLUSTRATED

17

FrameId	PageId	Dirty?	Pin Count	Ref Bit
1	1	N	1	1
2	3	N	1	1
3	2	N	0	1
4	8	N	0	0
5	4	N	0	0
6	5	N	0	1

Clock Hand
2



17

CLOCK POLICY: READ PAGE 10

18

The current buffer state is on the right


A read request for page 10 arrives

The buffer pool has no page 10 and is full

The buffer manager needs to evict one page. Which one?

Current frame has pin count > 0

Action: **Skip**



18

CLOCK POLICY: READ PAGE 10 (CONT.)


19

Current frame not pinned

Reference bit set

Clear reference bit

Skip



19


CLOCK POLICY: READ PAGE 10 (CONT.)

20

Current frame not pinned

Reference bit unset

Replace page 8 by page 10



20

CLOCK POLICY: READ PAGE 10 (CONT.)

21

Current frame not pinned


Reference bit unset

Replace page 8 by page 10

Set pinned

Set reference bit

Advance clock



21

CLOCK POLICY: READ PAGE 10 (CONT.)

22

Current frame not pinned

Reference bit unset


Replace page 8 by page 10

Set pinned

Set reference bit

Advance clock

Return pointer to page 10



22

REPLACEMENT POLICIES CAN FAIL

26

LRU and CLOCK are susceptible to **sequential flooding**

Scans pollute the buffer with pages that might not be needed soon

For scans the most recently used page is the most unneeded page!

Example 1

A buffer pool consists of 6 frames. A query repeatedly scans relation R.

Case 1: Let the size of relation R be 6 pages. How many I/O do you expect?

Case 2: Now let the size of relation R be 7 pages. How many I/O do you expect?

26


REPEATED SCAN (LRU)

27

The buffer pool consists of 6 frames

Assume the frames are initially empty

Case 1: R consists of 6 pages



27

REPEATED SCAN (LRU)

28


The buffer pool consists of 6 frames

Assume the frames are initially empty

Case 1: R consists of 6 pages

First 6 requests are unavoidable misses

Subsequent requests P1-P6 are all **hits**!



28

REPEATED SCAN (LRU)

29

The buffer pool consists of **6 frames**


Assume the frames are initially empty

Case 1: R consists of 6 pages

First 6 requests are unavoidable misses

Subsequent requests P1-P6 are all **hits**!

Case 2: R consists of 7 pages



39

REPEATED SCAN (LRU)

30

The buffer pool consists of **6 frames**

Assume the frames are initially empty


Case 1: R consists of 6 pages

First 6 requests are unavoidable misses

Subsequent requests P1-P6 are all **hits**!

Case 2: R consists of 7 pages

P7 evicts P1, restart scan



30

REPEATED SCAN (LRU)

31

The buffer pool consists of **6 frames**

Assume the frames are initially empty

Case 1: R consists of 6 pages

First 6 requests are unavoidable misses


Subsequent requests P1-P6 are all **hits**!

Case 2: R consists of 7 pages

P7 evicts P1, restart scan,

P1 evicts P2, P2 evicts P3, etc.

All subsequent page requests are **misses**!




31

REPEATED SCAN (MRU)

32

Most Recently Used (MRU)

First 6 requests are unavoidable misses




32

REPEATED SCAN (MRU)

33

Most Recently Used (MRU)

First 6 requests are unavoidable misses
Request for P7 evicts P6
After restart, P1-P5 requests are all **hits**!




33

REPEATED SCAN (MRU)

34

Most Recently Used (MRU)

First 6 requests are unavoidable misses
Request for P7 evicts P6
After restart, P1-P5 requests are all **hits**!
Request for P6 evicts P5
Next 5 requests are also **hits**!
and so on...



34

BEST REPLACEMENT POLICY?

35

LRU suffers from sequential flooding

But good for random access (hot vs. cold data)

LRU-K variant:

Consider history of the last K references

Evict the page whose K-th most recent access is furthest away in the past

MRU better fit for repeated sequential scans

Repeated scans are very common in database workloads (e.g., nested-loops join)

Hybrids are not uncommon in modern DBMSs

PostgreSQL uses CLOCK but handles sequential scans separately

35

BUFFER MANAGEMENT IN PRACTICE

36

Priority hints

The DBMS knows the context of each page during query execution

It can provide hints to the buffer manager on whether a page is important or not

Page fixing & hating:

Request to **fix** a page as it may be useful soon (e.g., nested-loop joins)

Request to **hate** a page as it may not be accessed soon (e.g., pages in a sequential scan)

Partitioned buffer pools

Separate pools for tables, indexes, logs, etc.

36

BUFFER MANAGEMENT IN PRACTICE

37

Page Prefetching

Ask disk space manager for a run of sequential pages

E.g., on request for Page 1, ask for Pages 2-5

Why does this help?

Amortise random I/O overhead

Allow computation while I/O continues in background
(disk and CPU are “parallel devices”)

37

WHY NOT USE THE OS?

38

Wait! Doesn't the filesystem (OS) manage buffers and pages too?

Yes, but:

DBMS requires ability to force flushing pages to disk in correct order

Required for recovery, as discussed later

DBMS has more information about query plans and access patterns of operators

Affects both page replacement and prefetching

Portability: different filesystem, different behaviour

The OS is **not** your friend!

38

SUMMARY

39

Buffer Manager

Mediator between storage and main memory

Maps disk page IDs to RAM addresses

Ensures each requested page is “pinned” in RAM


To be (briefly) manipulated in-memory

And then unpinned by the caller!

Attempts to minimize “cache misses”

By replacing pages unlikely to be referenced

By prefetching pages likely to be referenced



39