

Advanced Database Systems

Spring 2025

Lecture #14:

Query Optimisation: Plan Space

R&G: Chapter 15

1

QUERY OPTIMISATION

2

The bridge between a **declarative** domain-specific language...

“What” you want as an answer


... and custom **imperative** computer programs

“How” to compute the answer

A lot of effort has been spent on this problem!

Huge optimisation problem

Big impact on performance!



2

QUERY OPTIMISATION: THE GOAL

3

For a given query, find a **correct** execution plan that has the lowest “cost”

This is the part of a DBMS that is the hardest to implement well

Proven to be NP-hard

No optimizer truly produces the “optimal” plan

Use estimation techniques to guess real plan cost

Use heuristics to limit the search space

At the very least, avoid really bad plans!

3

QUERY OPTIMISATION STRATEGIES

4

We will focus on **IBM's System R** optimisers

Invented in 1979 by Pat Selinger et al.

A lot of the concepts from System R's optimiser still used today in most DB systems


Other optimisation strategies

Volcano / Cascades (SQL Server, Greenplum)

Stratified search (IBM DB2, Oracle)

Randomised search (PostgreSQL)

AI-driven optimisation



Notable differences,
but similar big picture

4

QUERY LIFECYCLE

5

SQL Parser


Checks correctness, authorisation
Generates a parse tree

Heuristics / rule-based rewriting

Remove stupid / inefficient things
Apply equivalence rules of RA

Cost-based optimisation

Enumerate multiple equivalent plans
Using a **cost model** pick the cheapest plan



5


QUERY PARSER

6

Performs syntactic & semantic analysis

Builds internal representation of the input query

SELECT-FROM-WHERE clauses translated into **query blocks**



6

QUERY REWRITER

7

Two relational algebra expressions are **equivalent** if they generate the same set of tuples on any given database instance

The query rewriter applies heuristics & RA rules, without looking into the actual database state (no info about cardinalities, indices, etc.)

Separated from cost-based optimisation to reduce search space

- Often only a few, very useful rules are applied
- Typically too expensive to explore all possibilities
- Rule-system often not confluent

7

SOME SIMPLIFICATIONS

8

```
CREATE TABLE R (
  id INT PRIMARY KEY,
  val INT NOT NULL )
```

Impossible / unnecessary predicates

```
SELECT * FROM R WHERE 1 = 0
```

empty result

```
SELECT * FROM R WHERE 1 = 1
```

→

```
SELECT * FROM R
```

Join elimination

```
SELECT R1.*
FROM R AS R1 JOIN R AS R2
ON R1.id = R2.id
```

→

```
SELECT * FROM R
```

8

MORE SIMPLIFICATIONS

```
CREATE TABLE R (  
  id INT PRIMARY KEY,  
  val INT NOT NULL )
```

Ignoring nested subquery

```
SELECT * FROM R AS R1  
WHERE EXISTS (SELECT * FROM R AS R2  
              WHERE R1.id = R2.id);
```



```
SELECT * FROM R
```

Merging predicates

```
SELECT * FROM R  
WHERE val BETWEEN 1 AND 100  
OR val BETWEEN 50 AND 150
```



```
SELECT * FROM R  
WHERE val BETWEEN 1 AND 150
```

9

QUERY OPTIMISER

Optimises one query block at a time

Enumerates all possible plans


If this yields too many plans, at least
enumerate “promising” plan candidates

Determines the **cost** of each plan

... using a cost model and catalog statistics

Chooses the **best** plan per query block

Often not truly “optimal”



10

QUERY OPTIMISATION: THE COMPONENTS

Three (mostly) orthogonal concerns:

Plan space

For a given query, what plans are considered?

Larger the plan space, more likely to find a cheaper plan, but harder to search

Cost estimation

How is the cost of a plan estimated?

Want to find the cheapest plan

Search strategy

How do we “search” in the “plan space”?

12

PLAN SPACE

To generate a space of candidate plans, we need to think about how to
rewrite relational algebra expressions into other ones

Therefore, need a set of **equivalence rules**

14

RELATIONAL ALGEBRA EQUIVALENCES

15

Selections

$$\sigma_{c1 \wedge c2 \wedge \dots \wedge cn}(R) \equiv \sigma_{c1}(\sigma_{c2}(\dots \sigma_{cn}(R)))$$
 (cascade)

$$\sigma_{c1}(\sigma_{c2}(R)) \equiv \sigma_{c2}(\sigma_{c1}(R))$$
 (commute)

Projections

$$\pi_{a1}(\dots (R)\dots) \equiv \pi_{a1}(\dots (\pi_{a1, \dots, an-1}(R)) \dots)$$
 (cascade)

Essentially, allows partial projection earlier in the expression
 As long as we're keeping a1 (and everything else we need outside) we're OK

15

RELATIONAL ALGEBRA EQUIVALENCES

16

Selections

$$\sigma_{c1 \wedge c2 \wedge \dots \wedge cn}(R) \equiv \sigma_{c1}(\sigma_{c2}(\dots \sigma_{cn}(R)))$$
 (cascade)

$$\sigma_{c1}(\sigma_{c2}(R)) \equiv \sigma_{c2}(\sigma_{c1}(R))$$
 (commute)

Projections

$$\pi_{a1}(\dots (R)\dots) \equiv \pi_{a1}(\dots (\pi_{a1, \dots, an-1}(R)) \dots)$$
 (cascade)

Cartesian products

$$R \times (S \times T) \equiv (R \times S) \times T$$
 (associative)

$$R \times S \equiv S \times R$$
 (commutative)

Recall that the ordering of attributes doesn't matter

16

ARE JOINS ASSOCIATIVE AND COMMUTATIVE?

17

After all, just Cartesian products with selections

You can think of them as associative and commutative
 ... but beware of joins turning into cross-products!

Consider R(A,Y), S(A,B), T(B,Z)

Attempt 1: $(S \bowtie_{S,B=T,B} T) \bowtie_{S,A=R,A} R \not\equiv S \bowtie_{S,B=T,B} (T \bowtie_{S,A=R,A} R)$ **Not legal!**
 (join on A not allowed)

Attempt 2: $(S \bowtie_{S,B=T,B} T) \bowtie_{S,A=R,A} R \not\equiv S \bowtie_{S,B=T,B} (T \times R)$ **Not the same!**
 (no condition on A)

Attempt 3: $(S \bowtie_{S,B=T,B} T) \bowtie_{S,A=R,A} R \equiv S \bowtie_{S,B=T,B \wedge S,A=R,A} (T \times R)$ **The same!**

17


JOIN ORDERING

18

Similarly, note that some join orders have cross products, some don't

Equivalent for the query on the right:

```
SELECT *
FROM R, S, T
WHERE R.A = S.A
AND S.B = T.B
```



18

INTRODUCING ADDITIONAL JOIN CONDITIONS

19

Implicit join through transitivity...

```
SELECT * FROM R, S, T
WHERE R.A = S.B AND S.B = T.C
```

... can be turned into

```
SELECT * FROM R, S, T
WHERE R.A = S.B AND S.B = T.C AND R.A = T.C
```

... making the join ordering $(R \bowtie T) \bowtie S$ possible (avoids a Cartesian product)

19

PLAN SPACE

20

To generate a space of candidate plans, we need to think about how to rewrite relational algebra expressions into other ones

Therefore, need a set of **equivalence rules** – done

Need **heuristics** to restrict attention to plans that are mostly better

We have already seen one of these in the relational algebra lecture

20

COMMON HEURISTICS: SELECTIONS

21

Filter as early as possible

Reorder predicates so that the DBMS applies the most selective one first

Break complex predicates and push down

$$\sigma_{c1 \wedge c2 \wedge \dots \wedge cn}(R) = \sigma_{c1}(\sigma_{c2}(\dots \sigma_{cn}(R)))$$

Simplify complex predicates

$$X = Y \text{ AND } Y = 3 \Rightarrow X = 3 \text{ AND } Y = 3$$

$$L.TAX * 100 < 5 \Rightarrow L.TAX < 0.05$$

21

HEURISTICS: SELECTION PUSHDOWN

22

Apply selections as soon as you have the relevant columns



Why is this an improvement?

Selection is essentially free, joins are expensive

Side effect is that the intermediate inputs to joins are smaller

22

COMMON HEURISTICS: PROJECTIONS

23

Perform them early to create smaller tuples and reduce intermediate results (if duplicates are eliminated)

Project out all attributes except the ones requested or required (e.g., joining keys)

This is not important for column stores...

23

HEURISTICS: PROJECTION PUSHDOWN

24

Keep only the columns you need to evaluate downstream operators



Other rewritings exist! (reorder selection and projection)

24

COMMON HEURISTICS

25

Avoid Cartesian products

Given a choice, do theta-joins rather than cross-products

Consider $R(A,B)$, $S(B,C)$, $T(C,D)$

Favour $(R \bowtie S) \bowtie T$ over $(R \times T) \bowtie S$



Case where this doesn't quite improve things:

If $R \times T$ is small (e.g., R & T are very small and S is relatively large)

Still it's a good enough heuristic that we will use it

25

PLAN SPACE

26

To generate a space of candidate plans, we need to think about how to rewrite relational algebra expressions into other ones

Therefore, need a set of **equivalence rules** – done

Need **heuristics** to restrict attention to plans that are mostly better – done

Both of these were logical equivalences, need also **physical equivalences**

26

PHYSICAL EQUIVALENCES

Base table access

- Heap scan

- Index scan (if available on referenced columns)

Equijoins

- Block Nested Loops: simple, exploits extra memory

- Index Nested Loops: often good if 1 table is small and the other indexed properly

- Sort-Merge Join: good with small memory, equal-size tables

- Grace Hash Join: even better than sort with 1 small table

Non-Equijoins

- Block Nested Loops

SUMMARY

There are lots of plans

- Even for a relatively simple query

- Manual query planning can be tedious, technical

- Machines are better at enumerating options than people

Query rewriting

- DBMSs can identify better query plans even without a cost model

- Filtering as early as possible is usually a good choice