

If you need this document in another format please contact course organiser lan.Stark@ed.ac.uk

This homework runs from Thursday 24 September 2026 until 12 noon on Thursday 1 October 2026. Submission is to Gradescope Homework 1.

Questions marked with an asterisk * may be a little harder than others. All are still within the course curriculum, though, and can be done using the methods taught in the study guides and textbook.

You should aim to write out solutions that someone who does not already know the answer could follow and understand.

Question 1

- (a) Write down the negation of the following statement.

For all integers n , if n is prime then $(n^2 - 2)$ is prime

[2 marks]

- (b) Use a counterexample to prove the statement in part (a) is false.

[2 marks]

Question 2

Prove by contraposition that for any irrational number r its cube root $\sqrt[3]{r}$ is also irrational.

[4 marks]

*** Question 3**

Write out a proof that if a and b are integers then not all of a , $(a + b)$, and ab are odd. [2 marks]

Solution 1

- (a) The negation is “There exists an integer n such that n is prime and $(n^2 - 2)$ is not prime”. It would also be correct to say “...is composite” instead of “...not prime”.

Note that the negation of a conditional (“if ... then ...”) is not itself a conditional, but instead always has the form of a conjunction (“... and ...”).

- (b) For proof by counterexample we need to show the statement in part (a) is true: to find a number n that is prime but $(n^2 - 2)$ is composite. The following table tests this for small primes.

n	$(n^2 - 2)$	
2	2	is prime
3	7	is prime
5	23	is prime
7	47	is prime
11	119	is composite, $119 = 7 \times 17$

So $n = 11$ is a counterexample and shows the original statement is false.

The table here isn't essential to the proof — we might simply guess at $n = 17$ and then observe that $17^2 - 2 = 287$ is a multiple of 7 and so that works as a counterexample. But the table is a methodical way to find a counterexample, and any solution still needs to present the calculation confirming it has the necessary property.

Solution 2

The contrapositive statement is that for any real number r , if $\sqrt[3]{r}$ is rational then r is rational. Suppose then that $\sqrt[3]{r} = \frac{p}{q}$ for integers p and q with $q \neq 0$. Then $r = (\sqrt[3]{r})^3 = \frac{p^3}{q^3}$. Both p^3 and q^3 are integers, with $q^3 \neq 0$, and so r is rational as required.

Some students gave as “contrapositive” the statement “for any real number r , if r is rational then $\sqrt[3]{r}$ is rational”. That is the *inverse* of the statement, and its truth is unrelated to that of the original. In this particular case, while the original statement is true, the inverse is false.

* Solution 3

This can be proved by either of two different approaches: by contradiction, or by cases.

To prove by contradiction, suppose that the statement is false: that there are in fact integers a and b with all of a , $(a + b)$, and ab being odd. Then $b = ((a + b) - a)$ is even, and hence so is ab . But ab cannot be both odd and even, this is a contradiction, and the original statement must have been true.

In a similar way, if ab is odd then both a and b are odd which means $(a + b)$ is even: hence again we have a proof that not all can be odd at the same time.

To prove by cases, consider the parity of a .

- If a is even then not all of a , $(a + b)$, and ab are odd since at least a and ab are even.
- If a is odd then we consider the parity of b as well.
 - If a is odd and b is even then ab is even and so not all of a , $(a + b)$, and ab are odd.
 - If a is odd and b is odd then $a + b$ is even and so not all of a , $(a + b)$, and ab are odd.

In all cases, not all of a , $(a + b)$, and ab are odd, and so the original statement is proved.

Here is a different breakdown for a proof by cases.

- If either a or b is even, then ab is even.
- If both a and b are odd, then $(a + b)$ is even.

In all cases, not all of a , $(a + b)$, and ab are odd, and so the original statement is proved.

We can also draw up a table showing these results.

	If b is even:	If b is odd:
If a is even:	All of a , $(a + b)$ and ab are even	Both a and ab are even
If a is odd:	Only ab is even	Only $a + b$ is even

From this it is clear that a , $(a + b)$ and ab are never all odd.