

# Elements of Programming Languages

## Lecture 3: Booleans, conditionals, and types

James Cheney

University of Edinburgh

September 25, 2025

# Boolean expressions

- So far we've considered only a trivial arithmetic language  $L_{\text{Arith}}$
- Let's extend  $L_{\text{Arith}}$  with equality tests and Boolean true/false values:

$$e ::= \dots \mid b \in \mathbb{B} \mid e_1 == e_2$$

- We write  $\mathbb{B}$  for the set of Boolean values  $\{\text{true}, \text{false}\}$
- Basic idea:  $e_1 == e_2$  should evaluate to true if  $e_1$  and  $e_2$  have equal values, false otherwise

# What use is this?

- Examples:
  - $2 + 2 == 4$  should evaluate to true
  - $3 \times 3 + 4 \times 4 == 5 \times 5$  should evaluate to true
  - $3 \times 3 == 4 \times 7$  should evaluate to false
  - How about `true == true`? Or `false == true`?
- So far, there's not much we can do.
- We can evaluate a numerical expression for its value, or a Boolean equality expression to true or false
- We can't write an expression whose result depends on evaluating a comparison.
  - We lack an “if then else” (conditional) operation.
- We also can't “and”, “or” or negate Boolean values.

# Conditionals

- Let's also add an “if then else” operation:

$$e ::= \dots \mid b \in \mathbb{B} \mid e_1 == e_2 \mid \text{if } e \text{ then } e_1 \text{ else } e_2$$

- We define  $L_{If}$  as the extension of  $L_{Arith}$  with booleans, equality and conditionals.
- Examples:
  - if true then 1 else 2 should evaluate to 1
  - if  $1 + 1 == 2$  then 3 else 4 should evaluate to 3
  - if true then false else true should evaluate to false
- Note that if  $e$  then  $e_1$  else  $e_2$  is the first expression that makes nontrivial “choices”: whether to evaluate the first or second case.

# Extending evaluation

- We consider the Boolean values `true` and `false` to be *values*:

$$v ::= n \in \mathbb{N} \mid b \in \mathbb{B}$$

- and we add the following evaluation rules:

$e \Downarrow v$  for  $L_{\text{If}}$

$$\frac{e_1 \Downarrow v \quad e_2 \Downarrow v}{e_1 == e_2 \Downarrow \text{true}}$$

$$\frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2 \quad v_1 \neq v_2}{e_1 == e_2 \Downarrow \text{false}}$$

$$\frac{e \Downarrow \text{true} \quad e_1 \Downarrow v_1}{\text{if } e \text{ then } e_1 \text{ else } e_2 \Downarrow v_1}$$

$$\frac{e \Downarrow \text{false} \quad e_2 \Downarrow v_2}{\text{if } e \text{ then } e_1 \text{ else } e_2 \Downarrow v_2}$$

# Extending the interpreter

- To interpret  $L_{\text{If}}$ , we need new expression forms:

---

```
case class Bool(n: Boolean) extends Expr
case class Eq(e1: Expr, e2: Expr) extends Expr
case class IfThenElse(e: Expr, e1: Expr, e2: Expr)
      extends Expr
```

---

- and different types of values (not just Ints):

---

```
abstract class Value
case class NumV(n: Int) extends Value
case class BoolV(b: Boolean) extends Value
```

---

- (Technically, we could encode booleans as integers, but in general we will want to separate out the kinds of values.)

# Extending the interpreter

---

```
// helpers
def add(v1: Value, v2: Value): Value =
  (v1,v2) match {
    case (NumV(v1), NumV(v2)) => NumV (v1 + v2)
  }
def mult(v1: Value, v2: Value): Value = ...
def eval(e: Expr): Value = e match {
  // Arithmetic
  case Num(n) => NumV(n)
  case Plus(e1,e2) => add(eval(e1),eval(e2))
  case Times(e1,e2) => mult(eval(e1),eval(e2))
  ... }
```

---

# Extending the interpreter

---

```
// helper
def eq(v1: Value, v2: Value): Value = (v1,v2) match {
  case (NumV(n1), NumV(n2)) => BoolV(n1 == n2)
  case (BoolV(b1), BoolV(b2)) => BoolV(b1 == b2)
}

def eval(e: Expr): Value = e match {
  ...
  case Bool(b) => BoolV(b)
  case Eq(e1,e2) => eq (eval(e1), eval(e2))
  case IfThenElse(e,e1,e2) => eval(e) match {
    case BoolV(true) => eval(e1)
    case BoolV(false) => eval(e2)
  }
}
```

---



# Aside: Other Boolean operations

- We can add Boolean and, or and not operations as follows:

$$e ::= \dots \mid e_1 \wedge e_2 \mid e_1 \vee e_2 \mid \neg(e)$$

- with evaluation rules:

$$e \Downarrow v$$

$$\frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{e_1 \wedge e_2 \Downarrow v_1 \wedge_{\mathbb{B}} v_2}$$

$$\frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{e_1 \vee e_2 \Downarrow v_1 \vee_{\mathbb{B}} v_2}$$

- where again,  $\wedge_{\mathbb{B}}$  and  $\vee_{\mathbb{B}}$  are the mathematical “and” and “or” operations
- These are definable in  $L_{\text{If}}$ , so we will leave them out to avoid clutter.

# Aside: Shortcut operations

- Many languages (e.g. C, Java) offer *shortcut* versions of “and” and “or”:

$$e ::= \dots \mid e_1 \ \&\& \ e_2 \mid e_1 \ || \ e_2$$

- $e_1 \ \&\& \ e_2$  stops early if  $e_1$  is false (since  $e_2$ 's value then doesn't matter).
- $e_1 \ || \ e_2$  stops early if  $e_1$  is true (since  $e_2$ 's value then doesn't matter).
- We can model their semantics using rules like this:

$$\frac{e_1 \Downarrow \text{false}}{e_1 \ \&\& \ e_2 \Downarrow \text{false}}$$

$$\frac{e_1 \Downarrow \text{true} \quad e_2 \Downarrow v_2}{e_1 \ \&\& \ e_2 \Downarrow v_2}$$

$$\frac{e_1 \Downarrow \text{true}}{e_1 \ || \ e_2 \Downarrow \text{true}}$$

$$\frac{e_1 \Downarrow \text{false} \quad e_2 \Downarrow v_2}{e_1 \ || \ e_2 \Downarrow v_2}$$

# What else can we do?

- We can also do strange things like this:

$$e_1 = 1 + (2 == 3)$$

- Or this:

$$e_2 = \text{if } 1 \text{ then } 2 \text{ else } 3$$

What should these expressions evaluate to?

- There is no  $v$  such that  $e_1 \Downarrow v$  or  $e_2 \Downarrow v$ !
  - the *Totality* property for  $L_{\text{Arith}}$  fails, for  $L_{\text{If}}$ !
- If we try to run the interpreter: we just get an error

# One answer: Conversions

- In some languages (notably C, Java), there are built-in *conversion rules*
  - For example, “if an integer is needed and a boolean is available, convert `true` to 1 and `false` to 0”
  - Likewise, “if a boolean is needed and an integer is available, convert 0 to `false` and other values to `true`”
  - LISP family languages have a similar convention: if we need a Boolean value, `nil` stands for “false” and any other value is treated as “true”
- Conversion rules are convenient but can make programs less predictable
- We will avoid them for now, but consider principled ways of providing this convenience later on.

# Another answer: Types

- Should programs like:

$1 + (2 == 3)$       if 1 then 2 else 3

even be allowed?

- Idea: use a *type system* to define a subset of “well-formed” programs
- Well-formed means (at least) that at run time:
  - arguments to arithmetic operations (and equality tests) should be numeric values
  - arguments to conditional tests should be Boolean values

# Typing rules, informally: arithmetic

- Consider an expression  $e$ 
  - If  $e = n$ , then  $e$  has type “integer”
  - If  $e = e_1 + e_2$ , then  $e_1$  and  $e_2$  must have type “integer”.  
If so,  $e$  has type “integer” also, else error.
  - If  $e = e_1 \times e_2$ , then  $e_1$  and  $e_2$  must have type “integer”.  
If so,  $e$  has type “integer” also, else error.

# Typing rules, informally: booleans, equality and conditionals

- Consider an expression  $e$ 
  - If  $e = \text{true}$  or  $\text{false}$ , then  $e$  has type “boolean”
  - If  $e = e_1 == e_2$ , then  $e_1$  and  $e_2$  must have **the same type**. If so,  $e$  has type “boolean”, else error.
  - If  $e = \text{if } e_0 \text{ then } e_1 \text{ else } e_2$ , then  $e_0$  must have type “boolean”, and  $e_1$  and  $e_2$  must have **the same type**. If so, then  $e$  has the same type as  $e_1$  and  $e_2$ , else error.
- Note 1: Equality arguments have the same (unknown) type.
- Note 2: Conditional branches have the same (unknown) type. This type determines the type of the whole conditional expression.

# Concise notation for typing rules

- We can define the possible types using a BNF grammar, as follows:

$$\text{Type} \ni \tau ::= \text{int} \mid \text{bool}$$

For now, we will consider only two possible types, “integer” (int) and “boolean” (bool).

- We can also use *rules* to describe the types of expressions:

## Definition (Typing judgment $\vdash e : \tau$ )

We use the notation  $\vdash e : \tau$  to say that  $e$  is a well-formed term of type  $\tau$  (or “ $e$  has type  $\tau$ ”).



# Typing rules, more formally: arithmetic

- If  $e = n$ , then  $e$  has type “integer”
- If  $e = e_1 + e_2$ , then  $e_1$  and  $e_2$  must have type “integer”.  
If so,  $e$  has type “integer” also, else error.
- If  $e = e_1 \times e_2$ , then  $e_1$  and  $e_2$  must have type “integer”.  
If so,  $e$  has type “integer” also, else error.

$\vdash e : \tau$  for  $L_{\text{Arith}}$

$$\frac{n \in \mathbb{N}}{\vdash n : \text{int}} \qquad \frac{\vdash e_1 : \text{int} \quad \vdash e_2 : \text{int}}{\vdash e_1 + e_2 : \text{int}}$$
$$\frac{\vdash e_1 : \text{int} \quad \vdash e_2 : \text{int}}{\vdash e_1 \times e_2 : \text{int}}$$

# Typing rules, more formally: equality and conditionals

$\vdash e : \tau$  for  $L_{If}$

$$\frac{b \in \mathbb{B}}{\vdash b : \text{bool}} \quad \frac{\vdash e_1 : \tau \quad \vdash e_2 : \tau}{\vdash e_1 == e_2 : \text{bool}}$$
$$\frac{\vdash e : \text{bool} \quad \vdash e_1 : \tau \quad \vdash e_2 : \tau}{\vdash \text{if } e \text{ then } e_1 \text{ else } e_2 : \tau}$$

- We indicate that the types of subexpressions of `==` must be equal by using the same  $\tau$
- Similarly, we indicate that the result of a conditional has the same type as the two branches using the same  $\tau$  for all three

# Typing judgments: examples

$$\frac{\frac{\overline{\vdash 1 : \text{int}} \quad \overline{\vdash 2 : \text{int}}}{\vdash 1 + 2 : \text{int}} \quad \overline{\vdash 4 : \text{int}}}{\vdash 1 + 2 == 4 : \text{bool}}$$

$$\frac{\vdots \quad \overline{\vdash 1 + 2 == 4 : \text{bool}} \quad \overline{\vdash 42 : \text{int}} \quad \overline{\vdash 17 : \text{int}}}{\vdash \text{if } 1 + 2 == 4 \text{ then } 42 \text{ else } 17 : \text{int}}$$

$$\frac{\vdots \quad \overline{\vdash \text{if } 1 + 2 == 4 \text{ then } 42 \text{ else } 17 : \text{int}} \quad \overline{\vdash 100 : \text{int}}}{\vdash (\text{if } 1 + 2 == 4 \text{ then } 42 \text{ else } 17) + 100 : \text{int}}$$

# Typing judgments: non-examples

But we also want some things **not** to typecheck:

$$\vdash 1 == \text{true} : \tau$$
$$\vdash \text{if } 42 \text{ then } e_1 \text{ else } e_2 : \tau$$

These judgments do not hold for any  $e_1, e_2, \tau$ .

# Fundamental property of typing

- The point of the typing judgment is to ensure *soundness*: if an expression is well-typed, then it evaluates “correctly”
- That is, evaluation is well-behaved on well-typed programs.

## Theorem (Type soundness for $L_{If}$ )

*If  $\vdash e : \tau$  then  $e \Downarrow v$  and  $\vdash v : \tau$ .*

- For a language like  $L_{If}$ , soundness is fairly easy to prove by induction on expressions. We'll present soundness for more realistic languages in detail later.

# Static vs. dynamic typing

- Some languages proudly advertise that they are “static” or “dynamic”
- **Static typing:**
  - not all expressions are well-formed; some sensible programs are not allowed
  - types can be used to catch errors, improve performance
- **Dynamic typing:**
  - all expressions are well-formed; any program can be run
  - type errors arise dynamically; higher overhead for tagging and checking
- These are rarely-realized extremes: most “statically” typed languages handle some errors dynamically
- In contrast, any “dynamically” typed language can be thought of as a statically typed one with just one type.

# Summary

- In this lecture we covered:
  - Boolean values, equality tests and conditionals
  - Extending the interpreter to handle them
  - Typing rules
- Next time:
  - Variables and let-binding
  - Substitution, environments and type contexts